



Author Index of Volume B 28

Abbot, D., 9 Agbor, N.E., 173 Ajoux, C., 82 Avaritsiotis, J.N., 201

Baek, H.D., 211 Beck, W., 85 Bisenberger, M., 181 Bock, D., 143 Bondarenka, V., 227 Bräuchle, C., 181

Cammann, K., 191 Carey, W.P., 63 Chan, P.C.H., 233 Chen, Y., 39 Cheung, P.W., 233 Cline, J.P., 167

David, E., 71 de Angelis, L., 25 DeWeerth, S.P., 123 Douglas, P., 9

Eglitis, V., 135

Filippov, V.I., 55 Francomacaro, A.S., 95

Geschke, O., 191 Ghindilis, A.L., 109 Göpel, W., 85 Grebinskij, S., 227 Hampp, N., 181 Hartmann, A., 143 Heiduschka, P., 85 Hwang, J.S., 211

Ishihara, T., 49

Jaffrezic-Renault, N., 82 Jouve, C., 75 Jullien, D., 75 Jung, G., 85

Kleperis, J., 135 Knichel, M., 85 Kohl, D., 217 Kometani, K., 49 Kopelman, R., 157 Krawczyński vel Krawczyk, T., 191 Kreider, K.G., 167 Kundzins, M., 135

Lee, J.Y., 211 Lemiti, M., 82 Lesho, M.J., 95 Li, R.C.C., 233 Ljutov, L., 223 Logothetis, E.M., 139 Lundström, I., 217 Lusis, A., 135

Makower, A., 109 Manorama, S., 31 McMurray, H.N., 9 McNally, P., 95 Mickevičius, S., 227 Mizsei, J., 129 Monkman, A.P., 173 Mund, K., 71

Nishi, Y., 49

Papadopoulos, C.A., 201 Park, C.O., 211 Pécs, M., 17 Petty, M.C., 173 Poyard, S., 82 Preidel, W., 71

Rao, J.R., 71 Rao, V.J., 31 Remaki, B., 75 Rinneberg, H., 3 Riva, R., 25 Rocher, V., 82 Rumpler, W., 103 Russey, S., 223

Sarala Devi, G., 31 Scheller, F.W., 109 Schubert, F., 3 Schunck, O., 71 Seeger, S., 143 Shelef, M., 139 Sheppard, Jr., N.F., 95 Shi, Z.-Y., 157 Sibai, A., 82 Skládal, P., 59 Sommer, V., 217 Srivastava, S.K., 21 Sundgren, H., 217

Takita, Y., 49
Tan, T.C., 39, 113
Tan, W., 157
Tan, Y., 113
Tarlov, M.J., 167
Terentjev, A.A., 55
Tewari, V.K., 21
Tobias, P., 217
Tobias-Katona, E., 17
Trojanowicz, M., 191

Usmen, R.K., 139

Vaivars, G., 135 Vardhan, H., 21 Vassilev, L., 223 Vitins, G., 135 Volkov, V., 227 Vulchev, V., 223

Wang, F., 3 Wang, X., 63 Weigl, B.H., 151 Wilson, D.M., 123 Wolfbeis, O.S., 151 Wurzer, H., 103

Yakimov, S.S., 55 Yee, S.S., 63

Zacharova, G., 227

Subject Index of Volume B 28

Abductory induction mechanism

neural networks and abductive networks for chemical sensor signals: a case comparison, 217

Amperometric sensors

compensation of temperature variations disturbing performance of an amperometric biosensor for continuous monitoring, 59

an amperometric carbon monoxide sensor based on the steady-state difference response technique, 113

Artificial neural networks

neural networks and abductive networks for chemical sensor signals: a case comparison, 217

Automotive sensors

measurement of Pt electrode surface area of automotive ZrO₂ oxygen sensors, 139

Biosensors

compensation of temperature variations disturbing performance of an amperometric biosensor for continuous monitoring, 59

potentiometric enzyme electrodes based on substrate recycling and mediatorless bioelectrocatalysis, 109

Bismuth

medium-temperature performance of cermet electrode containing Ag and 3Bi₂O₃·WO₃, 211

Capacitive-type sensors

improved sensitivity of CuO-BaTiO₃ capacitive-type CO₂ sensor by additives, 49

Carbon dioxide sensors

improved sensitivity of CuO-BaTiO₃ capacitive-type CO₂ sensor by additives, 49

sensitivity studies on optical carbon dioxide sensors based on ion pairing, 151

Carbon monoxide sensors

an amperometric carbon monoxide sensor based on the steady-state difference response technique, 113

Cermet electrodes

medium-temperature performance of cermet electrode containing Ag and 3Bi₂O₃·WO₃, 211

Chemical sensors

miniaturized fiber-optic chemical sensors with fluorescent dyedoped polymers, 157

Choline sensors

biosensors based on oxidases immobilized in various conducting polymers, 191

Conductance of metal films

a model for the gas sensing properties of tin oxide thin films with surface catalysts, 201

Conductimetric sensors

microfabricated conductimetric pH sensor, 95

Conducting polymers

biosensors based on oxidases immobilized in various conducting polymers, 191

Conductive polyethylene

conductive polyethylene as sensitive layer for gas detection, 75 Conductivity studies

sensitivity of silver films to H₂S contamination: ellipsometric and conductivity studies, 223

Copper oxide-barium titanate mixed oxide

improved sensitivity of CuO-BaTiO₃ capacitive-type CO₂ sensor by additives, 49

Difference response technique

an amperometric carbon monoxide sensor based on the steady-state difference response technique, 113

Dopamine

dopamine-sensing efficacy and characteristics of pretreated plant tissue powder sensors, 39

Electrochemical sensors

a new principle for an electrochemical oxygen sensor, 71

Electrode structure

electrode structure effect on the selectivity of gas sensors, 55 Ellipsometric studies

sensitivity of silver films to H₂S contamination: ellipsometric and conductivity studies, 223

Enzyme multisensors

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose 181

Fiber-optic sensors

miniaturized fiber-optic chemical sensors with fluorescent dyedoped polymers, 157

Fibre-optic detectors

a fluorometric rate assay of hydrogen peroxide using immobilized peroxidase with a fibre-optic detector, 3

Fluorescent dyes

miniaturized fiber-optic chemical sensors with fluorescent dyedoped polymers, 157

Fluorometric rate assays

a fluorometric rate assay of hydrogen peroxide using immobilized peroxidase with a fibre-optic detector, 3

Gas adsorption model

analysis of a MOS integrated gas sensor using a surface chemistry based model, 233

Gas sensors

electrode structure effect on the selectivity of gas sensors, 55 monolithic thin-film metal-oxide gas-sensor arrays with application to monitoring of organic vapors, 63

conductive polyethylene as sensitive layer for gas detection, 75 gas-sensitive gap formation by laser ablation in In₂O₃ layer: application as humidity sensor, 135

polyaniline thin films for gas sensing, 173

Glucose biosensors

biosensors based on oxidases immobilized in various conducting polymers, 191

Glucose sensors

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose, 181

Gold

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose, 181

Humidity sensors

gas-sensitive gap formation by laser ablation in In₂O₃ layer: application as humidity sensor, 135

thin films of poly-vanadium-molybdenum acid as starting materials for humidity sensors, 227

Hydrogel

microfabricated conductimetric pH sensor, 95

Hydrogen peroxide sensors

a fluorometric rate assay of hydrogen peroxide using immobilized peroxidase with a fibre-optic detector, 3

Hydrogen sensors

H₂-induced surface and interface potentials on Pd-activated SnO₂ sensor films, 129

Hydrogen sulfide

sensitivity of silver films to H₂S contamination: ellipsometric and conductivity studies, 223

Hydrogen sulfide sensors

high sensitivity and selectivity of an SnO₂ sensor to H₂S at around 100 °C, 31

Immunoglobulin G

one-step immobilization of immunoglobulin G and potential of the method for application in immunosensors, 143

Immunosensors

one-step immobilization of immunoglobulin G and potential of the method for application in immunosensors, 143

Impedimetric immunosensors

utilization of a self-assembled peptide monolayer for an impedimetric immunosensor, 85

Indium oxide

gas-sensitive gap formation by laser ablation in In_2O_3 layer: application as humidity sensor, 135

Interface potentials

H₂-induced surface and interface potentials on Pd-activated SnO₂ sensor films, 129

Ion pairs

sensitivity studies on optical carbon dioxide sensors based on ion pairing, 151

ISFETs

multienzyme-modified ion-sensitive field-effect transistor for sucrose measurement, 17

Lactate

potentiometric enzyme electrodes based on substrate recycling and mediatorless bioelectrocatalysis, 109

Lactate biosensors

biosensors based on oxidases immobilized in various conducting polymers, 191

Laser ablation

gas-sensitive gap formation by laser ablation in In_2O_3 layer: application as humidity sensor, 135

Membrane electrodes

a solid membrane sensor for the estimation of vanadium as vanadate, 21

Metal oxides

monolithic thin-film metal-oxide gas-sensor arrays with application to monitoring of organic vapors, 63

sputtered thin-film pH electrodes of platinum, palladium, ruthenium, and iridium oxides, 167

Methane sensors

selectivity and stability of a tin dioxide sensor for methane, 25 MOSFETs

neural networks and abductive networks for chemical sensor signals: a case comparison, 217

MOSFET sensors

analysis of a MOS integrated gas sensor using a surface chemistry based model, 233

Multienzyme layers

multienzyme-modified ion-sensitive field-effect transistor for sucrose measurement, 17

Near-field optics

miniaturized fiber-optic chemical sensors with fluorescent dyedoped polymers, 157

Noise analysis

analysis of a MOS integrated gas sensor using a surface chemistry based model, 233

Odor discrimination

odor discrimination using steady-state and transient characteristics of tin-oxide sensors, 123

One-step immobilization

one-step immobilization of immunoglobulin G and potential of the method for application in immunosensors, 143

Optrodes

sensitivity studies on optical carbon dioxide sensors based on ion pairing, 151

Organic vapors

monolithic thin-film metal-oxide gas-sensor arrays with application to monitoring of organic vapors, 63

Oxidases

biosensors based on oxidases immobilized in various conducting polymers, 191

Oxygen sensors

a new principle for an electrochemical oxygen sensor, 71 measurement of Pt electrode surface area of automotive ZrO₂ oxygen sensors, 139

Pellistors

neural networks and abductive networks for chemical sensor signals: a case comparison, 217

pH electrodes

sputtered thin-film pH electrodes of platinum, palladium, ruthenium, and iridium oxides, 167

Photopyroelectric sensors

characterization of photopyroelectric vapour analysis, 103

novel thick-film pH sensors based on ruthenium dioxide-glass composites, 9

microfabricated conductimetric pH sensor, 95

Plant tissue sensors

dopamine-sensing efficacy and characteristics of pretreated plant tissue powder sensors, 39

Platinum

measurement of Pt electrode surface area of automotive ZrO₂ oxygen sensors, 139

Polyaniline

polyaniline thin films for gas sensing, 173

Polymers

miniaturized fiber-optic chemical sensors with fluorescent dyedoped polymers, 157 Poly-vanadium-molybdenum acid

thin films of poly-vanadium-molybdenum acid as starting materials for humidity sensors, 227

Pulsed amperometric detection

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose, 181

Ruthenium dioxide-glass composites

novel thick-film pH sensors based on ruthenium dioxide-glass composites, 9

Self-assembled peptide monolayers

utilization of a self-assembled peptide monolayer for an impedimetric immunosensor, 85

Semiconducting gas sensors

high sensitivity and selectivity of an SnO₂ sensor to H₂S at around 100 °C, 31

Sensitivity

electrode structure effect on the selectivity of gas sensors, 55 Sensor arrays

monolithic thin-film metal-oxide gas-sensor arrays with application to monitoring of organic vapors, 63

Silver

medium-temperature performance of cermet electrode containing Ag and 3Bi₂O₃·WO₃, 211

Silver films

sensitivity of silver films to H₂S contamination: ellipsometric and conductivity studies, 223

Stannic oxide

a solid membrane sensor for the estimation of vanadium as vanadate, 21

Substrate recycling

potentiometric enzyme electrodes based on substrate recycling and mediatorless bioelectrocatalysis, 109

Sucrose measurement

multienzyme-modified ion-sensitive field-effect transistor for sucrose measurement, 17

Sucrose sensors

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose, 181

Surface additives

a model for the gas sensing properties of tin oxide thin films with surface catalysts, 201

Surface potentials

H₂-induced surface and interface potentials on Pd-activated SnO₂ sensor films, 129

Temperature compensation

compensation of temperature variations disturbing performance of an amperometric biosensor for continuous monitoring, 59

Thick-film electrodes

a triple-step potential waveform at enzyme multisensors with thick-film gold electrodes for detection of glucose and sucrose, 181

Thin films

sputtered thin-film pH electrodes of platinum, palladium, ruthenium, and iridium oxides, 167

polyaniline thin films for gas sensing, 173

thin films of poly-vanadium-molybdenum acid as starting materials for humidity sensors, 227

Tin dioxide

selectivity and stability of a tin dioxide sensor for methane, 25 Tin oxide

high sensitivity and selectivity of an SnO₂ sensor to H₂S at around 100 °C, 31

H₂-induced surface and interface potentials on Pd-activated SnO₂ sensor films, 129

Tin oxide sensors

odor discrimination using steady-state and transient characteristics of tin-oxide sensors, 123

Tin oxide thin films

a model for the gas sensing properties of tin oxide thin films with surface catalysts, 201

Tungsten

medium-temperature performance of cermet electrode containing Ag and 3Bi₂O₃·WO₃, 211

Vanadium

a solid membrane sensor for the estimation of vanadium as vanadate, 21

Vapour analysis

characterization of photopyroelectric vapour analysis, 103

Zirconium oxide

measurement of Pt electrode surface area of automotive ZrO₂ oxygen sensors, 139

